Our commitment. Your advantage.

Search

**Live Product Chat** 

Check Pricing & Availability

<u>Product Feature Selector</u> Contact Us About This Product

Search for Tooling

**Quick Links** 

My Account

**Products** 

**Documentation** 

Resources **My Account**  **Customer Support** 

<u>Home > Products > By Type > Resistors > Product Feature Selector > Product Details</u>

## MPR20C47RJ Product Details



MPR20C47RJ

(1-1623809-9)

TE Internal Number: 1-1623809-9



### **Fixed Resistors**

Converted to EU RoHS/ELV Compliant (Statement of Compliance)

#### **Product Highlights:**

- Resistor Type = Power Resistor
- Resistance Selection = <1K?
- Resistance = 47?
- Power Rating = 20.00 W
  - Tolerance = 5 %

View all Features









🚰 Buy Product

#### **Documentation & Additional Information**

#### **Product Drawings:**

None Available

#### Catalog Pages/Data Sheets:

• Radial Leaded High Power Resistors - Type MPR Series... (PDF, English)

#### **Product Specifications:**

• None Available

## **Application Specifications:**

None Available

# **Instruction Sheets:**

• None Available

#### **CAD Files:**

None Available

#### Additional Information:

• Product Line Information

#### **Related Products:**

• Tooling

List all Documents

#### Product Features (Please use the Product Drawing for all design activity)

#### **Product Type Features:**

- Resistor Type = Power Resistor
- <u>Resistance (?)</u> = 47
- <u>Element</u> = Thin Film
- <u>Termination Type</u> = Tinned Copper Leads

### **Electrical Characteristics:**

- Resistance Selection (?) = <1K
- Power Rating (W) = 20.00
- <u>Tolerance (%)</u> = 5
- Package Type = Loose Piece Bag

### **Body Related Features:**

- Series = MPR
- Mount Style = Radial Leaded
- Packaging Style = TO220
- Package, Component Size = 10.6 x 19

#### **Industry Standards:**

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Wave solder capable to 240?C, Wave solder capable to 260?C, Wave solder capable to 265?C
- RoHS/ELV Compliance History = Converted to comply with RoHS directive

## **Conditions for Usage:**

• Temperature Coefficient (ppm/?C) = ?50

# **Operation/Application:**

• Application = High Power

### Other:

• Brand = CGS