


Neohm | Neohm EP TE Internal #: 2-2176080-0 15K Ω, Ceramic Composition / Wire Wound, Power Resistor, 5 %, 53 x 8.5 mm, 2 Termination, Loose Piece - Box, 9 W, ±300 ppm/°C, Neohm EP

View on TE.com >

Passive Components > Resistors > Through-Hole Resistors



Resistor Type: **Power Resistor** Passive Component Dimensions: **53 x 8.5 mm** Number of Terminations: **2** Packaging Method: **Loose Piece - Box** 

Passive Component Tolerance: 5%

## Features

## **Product Type Features**

Resistor Type

Element Type

**E T E** connectivity

Power Resistor

1

Ceramic Composition, Wire Wound

## **Configuration Features**

### Number of Resistors

## **Electrical Characteristics**

Operating Voltage	500 V
Passive Component Tolerance	5 %
Resistance Class	$1k\Omega - 1M\Omega$
Resistance Value	15Κ Ω
Power Rating	9 W
Body Features	
Lead Type	Axial-Leaded
Termination Features	
Number of Terminations	2
Termination Area Base Material	Copper
Dimensions	
Passive Component Dimensions	53 x 8.5 mm

# EP9W15KJ

15K Ω, Ceramic Composition / Wire Wound, Power Resistor, 5 %, 53 x 8.5 mm, 2 Termination, Loose Piece - Box, 9 W, ±300 ppm/°C, Neohm EP



### **Usage Conditions**

Operating Temperature Range

Temperature Coefficient

## Packaging Features

Packaging Method

-55 – 155 °C

±300 ppm/°C

Loose Piece - Box

# **Product Compliance**

#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**

## EP9W15KJ


15K Ω, Ceramic Composition / Wire Wound, Power Resistor, 5 %, 53 x 8.5 mm, 2 Termination, Loose Piece - Box, 9 W, ±300 ppm/°C, Neohm EP








# Also in the Series | Neohm EP



# Customers Also Bought



# EP9W15KJ

15K Ω, Ceramic Composition / Wire Wound, Power Resistor, 5 %, 53 x 8.5 mm, 2 Termination, Loose Piece - Box, 9 W, ±300 ppm/°C, Neohm EP





# Documents

# **CAD** Files

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2-2176080-0\_BA.2d\_dxf.zip

English

Customer View Model ENG\_CVM\_CVM\_2-2176080-0\_BA.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2-2176080-0\_BA.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Datasheets & Catalog Pages

Wirewound Anti Surge Resistors - Type EP Series

English