




Passive Components > Resistors > Through-Hole Resistors



Resistor Type: **Power Resistor**

Element Type: **Ceramic Composition, Wire Wound**

Power Rating: **1 W**

Resistance Class: **Up to 1k $\Omega$**

Resistance Value: **47  $\Omega$**

Features

Product Type Features

|               |                                 |
|---------------|---------------------------------|
| Resistor Type | Power Resistor                  |
| Element Type  | Ceramic Composition, Wire Wound |

Configuration Features

|                     |   |
|---------------------|---|
| Number of Resistors | 1 |
|---------------------|---|

Electrical Characteristics

|                             |                   |
|-----------------------------|-------------------|
| Operating Voltage           | 500 V             |
| Power Rating                | 1 W               |
| Resistance Class            | Up to 1k $\Omega$ |
| Resistance Value            | 47 $\Omega$       |
| Passive Component Tolerance | 5 %               |

Body Features

|           |              |
|-----------|--------------|
| Lead Type | Axial-Leaded |
|-----------|--------------|

Termination Features

|                                |        |
|--------------------------------|--------|
| Termination Area Base Material | Copper |
| Number of Terminations         | 2      |

Dimensions

|                              |           |
|------------------------------|-----------|
| Passive Component Dimensions | 12 x 5 mm |
|------------------------------|-----------|



Usage Conditions

|                             |              |
|-----------------------------|--------------|
| Operating Temperature Range | -55 - 155 °C |
| Temperature Coefficient     | ±300 ppm/°C  |

Packaging Features

|                  |             |
|------------------|-------------|
| Packaging Method | Ammo Packed |
|------------------|-------------|

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

|                                               |                                                                                                                               |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                     |
| EU ELV Directive 2000/53/EC                   | Compliant                                                                                                                     |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                       |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2024 (240)<br>Candidate List Declared Against: JAN 2024 (240)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free                                           |
| Solder Process Capability                     | Wave solder capable to 265°C                                                                                                  |


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 2176083-1  
EP 5W (S) 10R 5%




TE Part # 2176081-7  
EP 1W (S) 100R 5%




TE Part # 2176081-5  
EP 1W (S) 47R 5%



TE Part # 2176079-5  
EP 3W 47R 5%



TE Part # 2176085-7  
EP 9W (S) 100R 5%



TE Part # 2176084-7  
EP 7W (S) 100R 5%

Also in the Series | **Neohm EP**



Surface Mount Resistors(1)



Through-Hole Resistors(635)


Customers Also Bought




TE Part # 8-2176070-0  
3521 20K 1% 2W




TE Part # 280360  
AMPMODU II REC. HSG, SINGLE ROW 6 POS



TE Part # 280708-2  
MOD 2 CONTACT




TE Part # 2176081-8  
EP 1W (S) 150R 5%




TE Part # 2176081-4  
EP 1W (S) 33R 5%



TE Part # 6-1625890-9  
2W SM M/OX 5% 820R



TE Part # 4-2176378-0  
RQ 0805 25R5 0.1% 10PPM 5K RL



TE Part # 182206-2  
MOD 2 TERMINAL



Documents

Product Drawings

EP 1W 47R 5%

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_2176078-5\_BA.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2176078-5\_BA.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2176078-5\_BA.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Wirewound Anti Surge Resistors - Type EP Series

English