
# EP1W68RJ 🗸 ACTIVE

### Neohm | Neohm EP

TE Internal #: 2176078-6 Power Resistor, Ceramic Composition / Wire Wound, 1 W, 68 Ω, 5 %, ±300 ppm/°C, Axial-Leaded, Copper Termination, 12 x 5 mm, Ammo Packed, Neohm EP

View on TE.com >

Passive Components > Resistors > Through-Hole Resistors



# Resistor Type: Power Resistor

Element Type: Ceramic Composition, Wire Wound

Power Rating: 1W

Resistance Class: Up to  $1k\Omega$ 

Resistance Value:  $68 \Omega$ 

# Features

## **Product Type Features**

Resistor Type

Element Type

Power Resistor

1

Ceramic Composition, Wire Wound



## **Configuration Features**

### Number of Resistors

## **Electrical Characteristics**

Operating Voltage	500 V	
Power Rating	1 VV	
Resistance Class	Up to 1kΩ	
Resistance Value	68 Ω	
Passive Component Tolerance	5 %	
Body Features		
Lead Type	Axial-Leaded	
Termination Features	Axial-Leaded	
	Axial-Leaded Copper	
Termination Features		
Termination Features Termination Area Base Material	Copper	
Termination Features Termination Area Base Material Number of Terminations	Copper	

# EP1W68RJ

Power Resistor, Ceramic Composition / Wire Wound, 1 W, 68  $\Omega$ , 5 %, ±300 ppm/°C, Axial-Leaded, Copper Termination, 12 x 5 mm, Ammo Packed, Neohm EP



### **Usage Conditions**

Ο	perating	Temp	perature	Range
	J			J

Temperature Coefficient

# Packaging Features

Packaging Method

-55 - 155 °C

±300 ppm/°C

Ammo Packed

# **Product Compliance**

#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Solder Process Capability	Wave solder capable to 265°C	

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**


# EP1W68RJ

Power Resistor, Ceramic Composition / Wire Wound, 1 W, 68  $\Omega$ , 5 %, ±300 ppm/°C, Axial-Leaded, Copper Termination, 12 x 5 mm, Ammo Packed, Neohm EP






# Also in the Series | Neohm EP



# Customers Also Bought



# EP1W68RJ

Power Resistor, Ceramic Composition / Wire Wound, 1 W, 68 Ω, 5 %, ±300 ppm/°C, Axial-Leaded, Copper Termination, 12 x 5 mm, Ammo Packed, Neohm EP



# Documents

Product Drawings EP 1W 68R 5%

English

# **CAD** Files

3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_2176078-6\_BA.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2176078-6\_BA.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2176078-6\_BA.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

Datasheets & Catalog Pages Wirewound Anti Surge Resistors - Type EP Series

English