

Note: This datasheet may be out of date Please download the latest datasheet of DE1B3RA331KJ4BN01F from the official website of Murata Manufacturing Co., Ltd.

### DE1B3RA331KJ4BN01F
















### Appearance & Shape







X1/Y1 Class Certified Products, Halogen-free Products



| Packaging | Specifications | Minimum Order<br>Quantity |
|-----------|----------------|---------------------------|
| В         | Bulk(Bag)      | 500                       |

1 of 4

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: This datasheet may be out of date. Please download the latest datasheet of DE1B3RA331KJ4BN01F from the official website of Murata Manufacturing Co., Ltd.

# DE1B3RA331KJ4BN01F



| L size or Outer diameter D                       | 6.0mm max.             |  |
|--|------------------------|--|
| T size   | 5.0mm max.             |  |
| Lead spacing F                                   | 10.0±0.8mm             |  |
| Lead diameter d                                  | 0.6±0.05mm             |  |
| Paint dripping e                                 | Up to the end of crimp |  |
| Capacitance                                      | 330pF ±10%             |  |
| Rated voltage                                    | 250Vac(r.m.s.)         |  |
| Temperature characteristics                      | B(JIS)                 |  |
| Capacitance change rate                          | ±10%                   |  |
| Temperature range of temperature characteristics | -25°C to 85°C          |  |
| Operating Temperature Range                      | -40°C to 125°C         |  |

2 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.


Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





#### DE1B3RA331KJ4BN01F




The charts below may show another part number which shares its characteristics.










DE1B3RA331KJ4BN01F R DCOV, 20degC



DE1B3RA331KJ4BN01F C-Temp. capchange, DC0V, AC1Vrms

3 of 4

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.


2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



Note: This datasheet may be out of date. Please download the latest datasheet of DE1B3RA331KJ4BN01F from the official website of Murata Manufacturing Co., Ltd.

# DE1B3RA331KJ4BN01F



DE1B3RA331KJ4BN01F S21 DC0V, 20degC

4 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

