

Note: This datasheet may be out of date Please download the latest datasheet of DE21XSA220KJ3BY02F from the official website of Murata Manufacturing Co., Ltd. ucts/productdetail?partno=DE21XSA220KJ3BY02F

DE21XSA220KJ3BY02F




Appearance & Shape



B Bulk(Bag) 500	Packaging	Specifications	Minimum Order Quantity
	В	Bulk(Bag)	500





(in mm)



X1/Y2 Class Certified Products, Halogen-free Products, Rated Voltage: AC400V,DC1kV

1 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Attention



DE21XSA220KJ3BY02F

Note: This datasheet may be out of date. Please download the latest datasheet of DE21XSA220KJ3BY02F from the official website of Murata Manufacturing Co., Ltd. http://www.murata.com/en-US/products/productdetail?partno=DE21XSA220KJ3BY02F

Specifications

L size or Outer diameter D	6.0mm max.	
T size	5.0mm max.	
Lead spacing F	7.5±0.8mm	
Lead diameter d	0.6±0.05mm	
Paint dripping e	Up to the end of crimp	
Capacitance	22pF ±10%	
Rated voltage	400Vac(r.m.s.)	
Temperature characteristics	SL(JIS)	
Temperature range of temperature characteristics	20°C to 85°C	
Operating Temperature Range	-40°C to 125°C	
тс	+350 to -1000ppm/°C	

2 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Attention




Note: This datasheet may be out of date Please download the latest datasheet of DE21XSA220KJ3BY02F from the official website of Murata Manufacturing Co., Ltd. ctdetail?partno=DE21XSA220KJ3BY02F

DE21XSA220KJ3BY02F

Characteristic Data

The charts below may show another part number which shares its characteristics.




200


AC Voltage[Vrms]

DE21XSA220KJ3BY02F C-AC Voltage capchange, DCOV, 20.0

300

400





3 of 4

Attention

(-0.2

0

100

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.


Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering





Note: This datasheet may be out of date. Please download the latest datasheet of DE21XSA220KJ3BY02F from the official website of Murata Manufacturing Co., Ltd. http://www.murata.com/en-US/ ucts/productdetail?partno=DE21XSA220KJ3BY02F

DE21XSA220KJ3BY02F



4 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

Attention