

Product Search Data Sheet


Note: This datasheet may be out of date Please download the latest datasheet of DE21XSA330KN3AX02F from the official website of Murata Manufacturing Co., Ltd. ducts/productdetail?partno=DE21XSA330KN3AX02F

DE21XSA330KN3AX02F



Appearance & Shape





(in mm)



X1/Y2 Class Certified Products, Halogen-free Products



Packaging	Specifications	Minimum Order Quantity
А	Ammo Pack	1000

1 of 4

Attention 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Product Search Data Sheet

DE21XSA330KN3AX02F

Note: This datasheet may be out of date. Please download the latest datasheet of DE21XSA330KN3AX02F from the official website of Murata Manufacturing Co., Ltd. http://www.murata.com/en-US/products/productdetail?partno=DE21XSA330KN3AX02F

Specifications

L size or Outer diameter D	7.0mm max.	
T size	4.0mm max.	
Lead spacing F	7.5±1.0mm	
Lead diameter d	0.6±0.05mm	
Paint dripping e	Up to the end of crimp	
Capacitance	33pF ±10%	
Rated voltage	300Vac(r.m.s.)	
Temperature characteristics	SL(JIS)	
Temperature range of temperature characteristics	20°C to 85°C	
Operating Temperature Range	-40°C to 125°C	
тс	+350 to -1000ppm/°C	

2 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Attention



1.4


Product Search Data Sheet


Note: This datasheet may be out of date Please download the latest datasheet of DE21XSA330KN3AX02F from the official website of Murata Manufacturing Co., Ltd. ctdetail?partno=DE21XSA330KN3AX02F


DE21XSA330KN3AX02F

Characteristic Data

The charts below may show another part number which shares its characteristics.







Change Rate[%] 1.2 0.8 0.6 0.4 0. Cap. -0. 2 100 200 0 300 AC Voltage[Vrms] DE21XSA330KN3AX02F C-AC Voltage capchange, DCOV, 20.0

AC Voltage Characteristics

3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering




Attention



Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of DE21XSA330KN3AX02F from the official website of Murata Manufacturing Co., Ltd. http://www.murata.com/en-US/ cts/productdetail?partno=DE21XSA330KN3AX02F

DE21XSA330KN3AX02F



4 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

Attention