

Note: This datasheet may be out of date Please download the latest datasheet of DE2B3SA331KJ3BT02F from the official website of Murata Manufacturing Co., Ltd.

DE2B3SA331KJ3BT02F


















Appearance & Shape



References





Packaging	Specifications	Minimum Order Quantity
В	Bulk(Bag)	500

Mass (typ.)	
1 piece	0.15g



X1/Y2 Class Certified Products, Halogen-free Products

1 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: This datasheet may be out of date. Please download the latest datasheet of DE2B3SA331KJ3BT02F from the official website of Murata Manufacturing Co., Ltd.

DE2B3SA331KJ3BT02F



L size or Outer diameter D	6.0mm max.
T size	4.0mm max.
Lead spacing F	7.5±0.8mm
Lead diameter d	0.6±0.05mm
Paint dripping e	Up to the end of crimp
Capacitance	330pF ±10%
Rated voltage	250Vac(r.m.s.)
Temperature characteristics	B(JIS)
Capacitance change rate	±10%
Temperature range of temperature characteristics	-25°C to 85°C
Operating Temperature Range	-40°C to 125°C

2 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.


Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.




DE2B3SA331KJ3BT02F



The charts below may show another part number which shares its characteristics.






DE2B3SA331KJ3BT02F R DC0V, 20degC


Change Rate[%]


20

-20

Temperature







Characteristics

3 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.


Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering





Note: This datasheet may be out of date. Please download the latest datasheet of DE2B3SA331KJ3BT02F from the official website of Murata Manufacturing Co., Ltd.

DE2B3SA331KJ3BT02F



DE2B3SA331KJ3BT02F S21 DC0V, 20degC

4 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

