Note: This datasheet may be out of date Please download the latest datasheet of DE2E3SA103MA3BT02F from the official website of Murata Manufacturing Co., Ltd.

DE2E3SA103MA3BT02F
















Appearance & Shape







X1/Y2 Class Certified Products, Halogen-free Products



Packaging	Specifications	Minimum Order Quantity
В	Bulk(Bag)	100

1 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: This datasheet may be out of date. ${\it Please \ download \ the \ latest \ data sheet \ of \ DE2E3SA103MA3BT02F \ from \ the \ official \ website \ of \ Murata}$ Manufacturing Co., Ltd.

DE2E3SA103MA3BT02F



L size or Outer diameter D	15.0mm max.	
T size	5.0mm max.	
Lead spacing F	7.5±1.0mm	
Lead diameter d	0.6±0.05mm	
Paint dripping e	Up to the end of crimp	
Capacitance	10000pF ±20%	
Rated voltage	250Vac(r.m.s.)	
Temperature characteristics	E(JIS)	
Capacitance change rate	+20/-55%	
Temperature range of temperature characteristics	-25°C to 85°C	
Operating Temperature Range	-40°C to 125°C	

2 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.


Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.




DE2E3SA103MA3BT02F




The charts below may show another part number which shares its characteristics.






DE2E3SA103MA3BT02F R DC0V, 20degC

Temperature





Characteristics

DE2E3SA103MA3BT02F C-Temp. capchange, DC0V, AC1Vrms

3 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.


2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



Note: This datasheet may be out of date. Please download the latest datasheet of DE2E3SA103MA3BT02F from the official website of Murata Manufacturing Co., Ltd.

DE2E3SA103MA3BT02F



DE2E3SA103MA3BT02F S21 DC0V, 20degC

4 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

