

Note: This datasheet may be out of date. Please download the latest datasheet of GA342A1XGF270JW31# from the official website of Murata Manufacturing Co., Ltd. ducts/productdetail?partno=GA342A1XGF270JW31%23

"#" indicates a package specification code.

GA342A1XGF270JW31#




< List of part numbers with package codes > GA342A1XGF270JW31L

Appearance & Shape



OGR



Packaging	Specifications	Minimum Order Quantity
L	180Embossed Tape	3000

Mass (typ.)				
1 piece	54mg			



Y2 Class Certified Products, IEC60950 Devices only

1 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Attention



Note: This datasheet may be out of date. Please download the latest datasheet of GA342A1XGF270JW31# from the official website of Murata Manufacturing Co., Ltd. http://www.murata.com/en-US/products/productdetail?partno=GA342A1XGF270JW31%23

GA342A1XGF270JW31#

"#" indicates a package specification code.

Specifications

Length	4.5±0.3mm
Width	2.0±0.2mm
Thickness	1.0+0/-0.3mm
Capacitance	27pF ±5%
Distance between external terminals g	2.5mm min.
External terminal size e	0.3mm min.
Operating Temperature Range	-55°C to 125°C
Rated Voltage	250Vac(r.m.s.)
Size code in inch(mm)	1808 (4520M)
тс	+350 to -1000ppm/°C
Temperature characteristics (complied standard)	SL(JIS)
Temperature range of temperature characteristics	20°C to 85°C

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Attention

2 of 4




Note: This datasheet may be out of date Please download the latest datasheet of GA342A1XGF270JW31# from the official website of Murata Manufacturing Co., Ltd. tdetail?partno=GA342A1XGF270JW31%23

GA342A1XGF270JW31#

"#" indicates a package specification code.

Characteristic Data

The charts below may show another part number which shares its characteristics.



3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering




Attention




Note: This datasheet may be out of date Please download the latest datasheet of GA342A1XGF270JW31# from the official website of Murata Manufacturing Co., Ltd. oductdetail?partno=GA342A1XGF270JW31%23

GA342A1XGF270JW31#

"#" indicates a package specification code.





Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

4 of 4