

Note: This datasheet may be out of date. Please download the latest datasheet of GCJ188R92A393KA01# from the official website of Murata Manufacturing Co., Ltd. ucts/productdetail?partno=GCJ188R92A393KA01%23

"#" indicates a package specification code.

GCJ188R92A393KA01#


RoHS In Production REACH Q200

< List of part numbers with package codes > GCJ188R92A393KA01J GCJ188R92A393KA01D

Appearance & Shape



References



Packaging	Specifications	Minimum Order Quantity
J	330mm Paper Tape	10000
D	180mm Paper Tape	4000

Mass (typ.)		
1 piece	6.3mg	
φ180mm Reel	144g	



Resin external electrode products

1 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: This datasheet may be out of date. Please download the latest datasheet of GCJ188R92A393KA01# from the official website of Murata Manufacturing Co., Ltd. http://www.murata.com/en-US/products/productdetail?partno=GCJ188R92A393KA01%23

GCJ188R92A393KA01#

"#" indicates a package specification code.

Specifications

Length	1.6±0.2mm	
Width	0.8±0.1mm	
Thickness	0.8±0.1mm	
Capacitance	39000pF ±10%	
Distance between external terminals g	0.5mm min.	
External terminal size e	0.2 to 0.5mm	
Operating Temperature Range	-55°C to 150°C	
Rated Voltage	100Vdc	
Size code in inch(mm)	0603 (1608M)	
Capacitance change rate	±15.0%	
Temperature characteristics (complied standard)	X8R(EIA)	
Temperature range of temperature characteristics	-55°C to 150°C	

2 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.






Note: This datasheet may be out of date Please download the latest datasheet of GCJ188R92A393KA01# from the official website of Murata Manufacturing Co., Ltd. tdetail?partno=GCJ188R92A393KA01%23


GCJ188R92A393KA01#


"#" indicates a package specification code.


Characteristic Data

The charts below may show another part number which shares its characteristics.









3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering







Note: This datasheet may be out of date Please download the latest datasheet of GCJ188R92A393KA01# from the official website of Murata Manufacturing Co., Ltd. ductdetail?partno=GCJ188R92A393KA01%23

GCJ188R92A393KA01#

"#" indicates a package specification code.





4 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

