Note: This datasheet may be out of date. Please download the latest datasheet of GCJ21BR71C394KA01# from the official website of Murata Manufacturing Co., Ltd.

GCJ21BR71C394KA01#

"#" indicates a package specification code.
















< List of part numbers with package codes > GCJ21BR71C394KA01L GCJ21BR71C394KA01K



Appearance & Shape







References

Packaging	Specifications	Minimum Order Quantity
L	180Embossed Tape	3000
K	330Embossed Tape	10000

Mass (typ.)		
1 piece	17mg	
φ180mm Reel	102g	



Resin external electrode products

1 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: This datasheet may be out of date. ${\it Please \ download \ the \ latest \ data sheet \ of \ GCJ21BR71C394KA01\# \ from \ the \ official \ website \ of \ Murata}$ Manufacturing Co., Ltd.

GCJ21BR71C394KA01#

"#" indicates a package specification code.



Length	2.0±0.3mm
Width	1.25±0.2mm
Thickness	1.25±0.2mm
Capacitance	0.39µF ±10%
Distance between external terminals g	0.7mm min.
External terminal size e	0.2 to 0.7mm
Operating Temperature Range	-55°C to 125°C
Rated Voltage	16Vdc
Size code in inch(mm)	0805 (2012M)
Capacitance change rate	±15.0%
Temperature characteristics (complied standard)	X7R(EIA)
Temperature range of temperature characteristics	-55°C to 125°C

2 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





GCJ21BR71C394KA01#


 $Please \ {\it download} \ the \ latest \ data{\it sheet} \ of \ GCJ21BR71C394KA01\# \ from \ the \ official \ website \ of \ Murata$ Manufacturing Co., Ltd.


"#" indicates a package specification code.

Note: This datasheet may be out of date




The charts below may show another part number which shares its characteristics.






GCJ21BR71C394KA01 R DC0V, 25degC



GCJ21BR71C394KA01 C-DC bias capchange, 25.0degC, AC1.



GCJ21BR71C394KA01 C-AC Voltage capchange, DCOV, 25.0d

3 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering







Note: This datasheet may be out of date

Please download the latest datasheet of GCJ21BR71C394KA01# from the official website of Murata Manufacturing Co., Ltd.

GCJ21BR71C394KA01#

"#" indicates a package specification code.





4 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

