

Note: This datasheet may be out of date. Please download the latest datasheet of GCJ31BR72J472KXJ1# from the official website of Murata Manufacturing Co., Ltd.

### GCJ31BR72J472KXJ1#

"#" indicates a package specification code.


















< List of part numbers with package codes > GCJ31BR72J472KXJ1L GCJ31BR72J472KXJ1K



# Appearance & Shape







Packaging	Specifications	Minimum Order Quantity
L	180Embossed Tape	3000
K	330Embossed Tape	10000

Mass (typ.)	s (typ.)	
1 piece	40mg	
φ180mm Reel	170g	



Resin external electrode products

1 of 4

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





#### Product Search Data Sheet

Note: This datasheet may be out of date.  ${\it Please download the latest datasheet of GCJ31BR72J472KXJ1\# from the official website of Murata} \\$ Manufacturing Co., Ltd.

# GCJ31BR72J472KXJ1#

"#" indicates a package specification code.



Length	3.2±0.2mm
Width	1.6±0.2mm
Thickness	1.25+0/-0.3mm
Capacitance	4700pF ±10%
Distance between external terminals g	1.2mm min.
External terminal size e	0.3mm min.
Operating Temperature Range	-55°C to 125°C
Rated Voltage	630Vdc
Size code in inch(mm)	1206 (3216M)
Capacitance change rate	±15.0%
Temperature characteristics (complied standard)	X7R(EIA)
Temperature range of temperature characteristics	-55°C to 125°C

2 of 4

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





### GCJ31BR72J472KXJ1#

"#" indicates a package specification code.




The charts below may show another part number which shares its characteristics.






GCJ31BR72J472KXJ1 R DCOV, 25degC







GCJ31BR72J472KXJ1 C-AC Voltage capchange, DCOV, 25.0d

3 of 4

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering





Note: This datasheet may be out of date

Please download the latest datasheet of GCJ31BR72J472KXJ1# from the official website of Murata Manufacturing Co., Ltd.

### GCJ31BR72J472KXJ1#

"#" indicates a package specification code.





4 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

