

Note: This datasheet may be out of date. Please download the latest datasheet of GJM0225C1C100GB01# from the official website of Murata Manufacturing Co., Ltd.

GJM0225C1C100GB01#

"#" indicates a package specification code.














< List of part numbers with package codes > GJM0225C1C100GB01L



Appearance & Shape







References

Packaging	Specifications	Minimum Order Quantity
L	180Embossed Tape	40000

Mass (typ.)		
1 piece	0.09mg	
φ180mm Reel	198g	

1 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: This datasheet may be out of date. Please download the latest datasheet of GJM0225C1C100GB01# from the official website of Murata Manufacturing Co., Ltd.

GJM0225C1C100GB01#

"#" indicates a package specification code.



Length	0.4±0.02mm	
Width	0.2±0.02mm	
Thickness	0.2±0.02mm	
Capacitance	10pF ±2%	
Distance between external terminals g	0.13mm min.	
External terminal size e	0.07 to 0.14mm	
Operating Temperature Range	-55°C to 125°C	
Rated Voltage	16Vdc	
Size code in inch(mm)	01005 (0402M)	
TC	0±30ppm/°C	
Temperature characteristics (complied standard)	C0G(EIA)	
Temperature range of temperature characteristics	25°C to 125°C	


2 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.






Please download the latest datasheet of GJM0225C1C100GB01# from the official website of Murata Manufacturing Co., Ltd.


GJM0225C1C100GB01#

"#" indicates a package specification code.




The charts below may show another part number which shares its characteristics.






GJM0225C1C100GB01 R DC0V, 25degC



GJM0225C1C100GB01 C-DC bias capchange, 25.0degC, AC1V



GJM0225C1C100GB01 C-AC Voltage capchange, DCOV, 25.0d

3 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.


Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering




Note: This datasheet may be out of date Please download the latest datasheet of GJM0225C1C100GB01# from the official website of Murata Manufacturing Co., Ltd.

GJM0225C1C100GB01#

"#" indicates a package specification code.





GJM0225C1C100GB01 C-Temp. capchange, DCOV, AC1Vrms

4 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

