

Note: This datasheet may be out of date. Please download the latest datasheet of GQM22M5C2H4R0BB01# from the official website of Murata Manufacturing Co., Ltd. ucts/productdetail?partno=GQM22M5C2H4R0BB01%23

"#" indicates a package specification code.


# GQM22M5C2H4R0BB01#

High Q In Production General RoHS REACH Reflow

< List of part numbers with package codes > GQM22M5C2H4R0BB01K GQM22M5C2H4R0BB01L

#### Appearance & Shape







Packaging	Specifications	Minimum Order Quantity
К	330Embossed Tape	4000
L	180Embossed Tape	1000

Mass (typ.)		
1 piece	41mg	
φ180mm Reel	73g	

1 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Attention



Note: This datasheet may be out of date. Please download the latest datasheet of GQM22M5C2H4R0BB01# from the official website of Murata Manufacturing Co., Ltd. http://www.murata.com/en-US/products/productdetail?partno=GQM22M5C2H4R0BB01%23

#### GQM22M5C2H4R0BB01#

"#" indicates a package specification code.

# Specifications

Length	2.8±0.5mm	
Width	2.8±0.4mm	
Thickness	1.15±0.2mm	
Capacitance	4.0pF ±0.1pF	
Distance between external terminals g	1.0mm min.	
External terminal size e	0.3mm min.	
Operating Temperature Range	-55°C to 125°C	
Rated Voltage	500Vdc	
Size code in inch(mm)	1111(2828M)	
тс	0±30ppm/°C	
Temperature characteristics (complied standard)	C0G(EIA)	
Temperature range of temperature characteristics	25°C to 125°C	

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Attention

2 of 4




Note: This datasheet may be out of date Please download the latest datasheet of GQM22M5C2H4R0BB01# from the official website of Murata Manufacturing Co., Ltd. tdetail?partno=GQM22M5C2H4R0BB01%23

## GQM22M5C2H4R0BB01#

"#" indicates a package specification code.

#### Characteristic Data

The charts below may show another part number which shares its characteristics.



3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering


Attention




Note: This datasheet may be out of date Please download the latest datasheet of GQM22M5C2H4R0BB01# from the official website of Murata Manufacturing Co., Ltd. roductdetail?partno=GQM22M5C2H4R0BB01%23

## GQM22M5C2H4R0BB01#

"#" indicates a package specification code.





Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

4 of 4