

Note: This datasheet may be out of date. Please download the latest datasheet of GRM0115C1C1R8BE11#from the official website of Murata Manufacturing Co., Ltd. http://www.murata com/en/products/productdetail?partno=GRM0115C1C1R8BE11%23

# GRM0115C1C1R8BE11#


"#" indicates a package specification code.



< List of part numbers with package codes > GRM0115C1C1R8BE11L

#### Appearance & Shape







Packaging	Specifications	Minimum Order Quantity
L	180Embossed Tape	50000

Mass (typ.)		
1 piece	0.016mg	
φ180mm Reel	117g	

1 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: This datasheet may be out of date. Please download the latest datasheet of GRM0115C1C1R8BE11#from the official website of Murata Manufacturing Co., Ltd. http://www.murata.com/en/products/productdetail?partno=GRM0115C1C1R8BE11%23

## GRM0115C1C1R8BE11#

"#" indicates a package specification code.

# Specifications

Length	0.25±0.013mm	
Width	0.125±0.013mm	
Thickness	0.125±0.013mm	
Capacitance	1.8pF ±0.1pF	
Distance between external terminals g	0.05mm min.	
External terminal size e	0.05 to 0.1mm	
Operating Temperature Range	-55°C to 125°C	
Rated Voltage	16Vdc	
Size code in inch(mm)	008004 (0201M)	
тс	0±30ppm/°C	
Temperature characteristics (complied standard)	C0G(EIA)	
Temperature range of temperature characteristics	25°C to 125°C	

2 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.






Note: This datasheet may be out of date Please download the latest datasheet of GRM0115C1C1R8BE11#from the official website of Murata Manufacturing Co., Ltd. tdetail?partno=GRM0115C1C1R8BE11%23

GRM0115C1C1R8BE11#

"#" indicates a package specification code.

#### Characteristic Data

The charts below may show another part number which shares its characteristics.



3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering







Note: This datasheet may be out of date Please download the latest datasheet of GRM0115C1C1R8BE11#from the official website of Murata Manufacturing Co., Ltd. ductdetail?partno=GRM0115C1C1R8BE11%23 http://www.mu

## GRM0115C1C1R8BE11#

"#" indicates a package specification code.





4 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our safe representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

