

Note: This datasheet may be out of date. Please download the latest datasheet of GRM21A7U2E122JW31# from the official website of Murata Manufacturing Co., Ltd. ducts/productdetail?partno=GRM21A7U2E122JW31%23

GRM21A7U2E122JW31#

"#" indicates a package specification code.



< List of part numbers with package codes > GRM21A7U2E122JW31J GRM21A7U2E122JW31D

Appearance & Shape







Packaging	Specifications	Minimum Order Quantity
J	330mm Paper Tape	10000
D	180mm Paper Tape	4000

Mass (typ.)		
1 piece	12mg	
φ180mm Reel	86g	

1 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: This datasheet may be out of date. Please download the latest datasheet of GRM21A7U2E122JW31# from the official website of Murata Manufacturing Co., Ltd. http://www.murata.com/en-US/products/productdetail?partno=GRM21A7U2E122JW31%23

GRM21A7U2E122JW31#

"#" indicates a package specification code.

Specifications

Length	2.0±0.2mm	
Width	1.25±0.2mm	
Thickness	1.0+0/-0.3mm	
Capacitance	1200pF ±5%	
Distance between external terminals g	0.7mm min.	
External terminal size e	0.3mm min.	
Operating Temperature Range	-55°C to 125°C	
Rated Voltage	250Vdc	
Size code in inch(mm)	0805 (2012M)	
TC	-750±120ppm/°C	
Temperature characteristics (complied standard)	U2J(EIA)	
Temperature range of temperature characteristics	25°C to 125°C	

2 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Attention



Note: This datasheet may be out of date Please download the latest datasheet of GRM21A7U2E122JW31# from the official website of Murata Manufacturing Co., Ltd. tdetail?partno=GRM21A7U2E122JW31%23

GRM21A7U2E122JW31#

"#" indicates a package specification code.

Frequency

Characteristic Data

The charts below may show another part number which shares its characteristics.



100M 10M 1G 10G Frequency[Hz] GRM21A7U2E122JW31 R DCOV, 25degC AC Voltage Characteristics

CharacteristicR



3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



Attention



Note: This datasheet may be out of date. Please download the latest datasheet of GRM21A7U2E122JW31# from the official website of Murata Manufacturing Co., Ltd. roductdetail?partno=GRM21A7U2E122JW31%23

GRM21A7U2E122JW31#

"#" indicates a package specification code.





Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

4 of 4