Note: This datasheet may be out of date. Please download the latest datasheet of GRM55D7U2J393JW31# from the official website of Murata Manufacturing Co., Ltd.

GRM55D7U2J393JW31#

"#" indicates a package specification code.












< List of part numbers with package codes > GRM55D7U2J393JW31K GRM55D7U2J393JW31L



Appearance & Shape







References

Packaging	Specifications	Minimum Order Quantity
K	330Embossed Tape	4000
L	180Embossed Tape	1000

Mass (typ.)		
1 piece	230mg	
φ180mm Reel	300g	

1 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: This datasheet may be out of date. Please download the latest datasheet of GRM55D7U2J393JW31# from the official website of Murata Manufacturing Co., Ltd.

GRM55D7U2J393JW31#

"#" indicates a package specification code.



Length	5.7±0.4mm
Width	5.0±0.4mm
Thickness	2.0+0/-0.3mm
Capacitance	39000pF ±5%
Distance between external terminals g	3.0mm min.
External terminal size e	0.3mm min.
Operating Temperature Range	-55°C to 125°C
Rated Voltage	630Vdc
Size code in inch(mm)	2220 (5750M)
TC	-750±120ppm/°C
Temperature characteristics (complied standard)	U2J(EIA)
Temperature range of temperature characteristics	25°C to 125°C

2 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Please download the latest datasheet of GRM55D7U2J393JW31# from the official website of Murata Manufacturing Co., Ltd.


Note: This datasheet may be out of date


GRM55D7U2J393JW31#

"#" indicates a package specification code.





The charts below may show another part number which shares its characteristics.





GRM55D7U2J393JW31 R DCOV, 25degC





3 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering






Note: This datasheet may be out of date.


Please download the latest datasheet of GRM55D7U2J393JW31# from the official website of Murata Manufacturing Co., Ltd.

oductdetail?partno=GRM55D7U2J393JW31%23

GRM55D7U2J393JW31#

"#" indicates a package specification code.





Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



4 of 4