

Note: This datasheet may be out of date. Please download the latest datasheet of GRT31CC8YA106KE01#from the official website of Murata Manufacturing Co., Ltd. cts/productdetail?partno=GRT31CC8YA106KE01%23

"#" indicates a package specification code.


# GRT31CC8YA106KE01#



< List of part numbers with package codes > GRT31CC8YA106KE01L GRT31CC8YA106KE01K

#### Appearance & Shape





Packaging	Specifications	Minimum Order Quantity
L	180Embossed Tape	2000
К	330Embossed Tape	6000

Mass (typ.)	
1 piece	52mg
φ180mm Reel	144g



Derating1

1 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Attention



Note: This datasheet may be out of date. Please download the latest datasheet of GRT31CC8YA106KE01#from the official website of Murata Manufacturing Co., Ltd. http://www.murata.com/en-US/products/productdetail?partno=GRT31CC8YA106KE01%23

## GRT31CC8YA106KE01#

"#" indicates a package specification code.

# Specifications

Length	3.2±0.2mm	
Width	1.6±0.2mm	
Thickness	1.6±0.2mm	
Capacitance	10µF ±10%	
Distance between external terminals g	1.5mm min.	
External terminal size e	0.3 to 0.8mm	
Operating Temperature Range	-55°C to 105°C	
Rated Voltage	35Vdc	
Size code in inch(mm)	1206 (3216M)	
Capacitance change rate	±22.0%	
Temperature characteristics (complied standard)	X6S(EIA)	
Temperature range of temperature characteristics	-55°C to 105°C	

2 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Attention




Note: This datasheet may be out of date Please download the latest datasheet of GRT31CC8YA106KE01# from the official website of Murata Manufacturing Co., Ltd. tdetail?partno=GRT31CC8YA106KE01%23


GRT31CC8YA106KE01#


"#" indicates a package specification code.


### Characteristic Data

The charts below may show another part number which shares its characteristics.









3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering




Attention




Note: This datasheet may be out of date Please download the latest datasheet of GRT31CC8YA106KE01#from the official website of Murata Manufacturing Co., Ltd. oductdetail?partno=GRT31CC8YA106KE01%23

## GRT31CC8YA106KE01#

"#" indicates a package specification code.





Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our safe representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

4 of 4