
MPT35A8R2F 🗸 ACTIVE

CGS | CGS MPT

TE Internal #: 4-2176430-3 Power Resistor, Thick Film, TO220, 35 W, 8.2 Ω, 1 %, ±100 ppm/°C, Radial-Leaded, Copper Termination, 10.16 x 15 x 4.6 mm, Tube, 2 Termination, CGS MPT

View on TE.com >

Passive Components > Resistors > Through-Hole Resistors



Resistor Type: Power Resistor

Element Type: Thick Film

Package Size Code: TO220

Power Rating: 35 W

Resistance Class: Up to $1k\Omega$

Features



Product Type Features

Resistor Type	Power Resistor	
Element Type	Thick Film	
Package Size Code	ТО220	
Configuration Features		
Number of Resistors	1	
Electrical Characteristics		
Operating Voltage	350 V	
Power Rating	35 W	
Resistance Class	Up to 1kΩ	
Resistance Value	8.2 Ω	
Passive Component Tolerance	1 %	
Body Features		
Lead Type	Radial-Leaded	

MPT35A8R2F

Power Resistor, Thick Film, TO220, 35 W, 8.2 Ω, 1 %, ±100 ppm/°C, Radial-Leaded, Copper Termination, 10.16 x 15 x 4.6 mm, Tube, 2 Termination, CGS MPT



Termination Features

Termination Area Base Material	Copper	
Number of Terminations	2	
Dimensions		
Passive Component Dimensions	10.16 x 15 x 4.6 mm	
Usage Conditions		
Temperature Coefficient	±100 ppm/°C	
Packaging Features		
Packaging Method	Tube	
Product Compliance For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant with Exemptions	
EU ELV Directive 2000/53/EC	Compliant with Exemptions	
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JUNE	

2023 (235) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Halogen Content

Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

MPT35A8R2F

Power Resistor, Thick Film, TO220, 35 W, 8.2 Ω, 1 %, ±100 ppm/°C, Radial-Leaded, Copper Termination, 10.16 x 15 x 4.6 mm, Tube, 2 Termination, CGS MPT





Also in the Series | CGS MPT



Customers Also Bought



TE Part # 7-2176231-7	TE Part # 794611-1	TE Part # 2-1623728-4	TE Part # 2-1623728-9
3522 15K 1% 3W	MICRO MNL RPT CNT,LS PC,TIN	BCHE 11 W 4R7 10%	BCHE SBCHE 11 6R8 5%
A123461 A123462 A123456			TON ERDS
TE Part # 5070042035	TE Part # 1623728-6	TE Part # ADP-SMAF-MMXM	TE Part # 2176455-8
RNF-100-1/8-X-STK	BCHE 11 W 15R 5%	SMA Jack to MMCX Plug	CPF 0402 4R99 0.1% 25ppm 1K RL
Documents			

Product Drawings

MPT35 8R2 1%

English

CAD Files

3D PDF

3D

MPT35A8R2F

Power Resistor, Thick Film, TO220, 35 W, 8.2 Ω, 1 %, ±100 ppm/°C, Radial-Leaded, Copper Termination, 10.16 x 15 x 4.6 mm, Tube, 2 Termination, CGS MPT



Customer View Model

ENG_CVM_CVM_4-2176430-3_BA.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_4-2176430-3_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_4-2176430-3_BA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions**of use.

Datasheets & Catalog Pages MPT-0518

English