Our commitment. Your advantage.

Search

**Live Product Chat** 

**Check Pricing & Availability** 

Contact Us About This Product

**Product Feature Selector** 

Search for Tooling

**Quick Links** 

**Products** 

**Documentation** 

Resources

My Account

**Customer Support** 

<u>Home</u> > <u>Products</u> > <u>By Type</u> > <u>Resistors</u> > <u>Product Feature Selector</u> > <u>Product Details</u>

# RSS562KJR Product Details



RSS562KJR (1624247-4)

TE Internal Number: 1624247-4

Active

#### **Fixed Resistors**

Converted to EU RoHS/ELV Compliant (Statement of Compliance)

### **Product Highlights:**

- Resistor Type = Power Resistor
- Resistance Selection = K?
- Resistance = 62K?
- Power Rating = 5.00 W
- Tolerance = 5 %

View all Features



🕒 Add to My Part List 🛛 💮





Request Sample 🍑 Find Similar Products 🥞



### **Documentation & Additional Information**

#### **Product Drawings:**

None Available

### Catalog Pages/Data Sheets:

• <u>High Voltage Resistors - Type RSS Series - Tyco Elec...</u> (PDF, English)

#### **Product Specifications:**

None Available

### **Application Specifications:**

• None Available

## **Instruction Sheets:**

None Available

## **CAD Files:**

None Available

# **Additional Information:**

• Product Line Information

## **Related Products:**

• <u>Tooling</u>

List all Documents

# Product Features (Please use the Product Drawing for all design activity)

## **Product Type Features:**

- Resistor Type = Power Resistor
- Resistance (?) = 62K
- <u>Element</u> = Oxide Film
- <u>Termination Type</u> = Tinned Copper Leads

## **Electrical Characteristics:**

- Resistance Selection (?) = K
- Power Rating (W) = 5.00
- <u>Tolerance (%)</u> = 5
- Package Type = Ammo Packed

## **Body Related Features:**

- <u>Series</u> = RSS
- Mount Style = Axial Leaded
- Package, Component Size = 8.5 x 24

## **Industry Standards:**

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Wave solder capable to 240?C, Wave solder capable to 260?C, Wave solder capable to 265?C
- RoHS/ELV Compliance History = Converted to comply with RoHS directive

## **Conditions for Usage:**

• Temperature Coefficient (ppm/?C) = ?200

## **Operation/Application:**

Application = Power

## Other:

• Brand = CGS