

SMV3W1M0JT

✓ ACTIVE

CGS | CGS SMV

TE Internal #: 1-2176324-3

1M Ω , Metal Film, High Value/High Voltage Resistor, 5 %, 2 Termination, Taped & Reeled, 3 W, ± 200 ppm/ $^{\circ}\text{C}$, Solder, Height . 268 in [6.8 mm], CGS SMV

[View on TE.com >](#)



Passive Components > Resistors > Surface Mount Resistors



Resistor Type: **High Value/High Voltage Resistor**
Number of Terminations: **2**
Packaging Method: **Taped & Reeled**
Passive Component Tolerance: **5 %**
Element Type: **Metal Film**

Features

Product Type Features

Resistor Type	High Value/High Voltage Resistor
Element Type	Metal Film

Configuration Features

Number of Resistors	1
---------------------	---

Electrical Characteristics

Passive Component Tolerance	5 %
Resistance Class	1M Ω – 1G Ω
Resistance Value	1M Ω
Power Rating	3 W

Termination Features

Number of Terminations	2
Surface Mount Resistor Termination Type	Solder

Dimensions

--	--



Product Height	6.8 mm[.268 in]
Product Length	13.5 mm[.531 in]
Product Width	7.3 mm[.287 in]

Usage Conditions

Temperature Coefficient	± 200 ppm/ $^{\circ}\text{C}$
-------------------------	-----------------------------------

Packaging Features

Packaging Method	Taped & Reeled
------------------	----------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260 $^{\circ}\text{C}$

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

SMV3W1M0JT

1M Ω , Metal Film, High Value/High Voltage Resistor, 5 %, 2 Termination, Taped & Reeled, 3 W, ± 200 ppm/ $^{\circ}\text{C}$, Solder, Height .268 in [6.8 mm], CGS SMV



TE Part # 2176322-5
SMV 1W 220K 5%

TE Part # 2176322-8
SMV 1W 390K 5%

TE Part # 2-2176323-5
SMV 2W 10M 5%

TE Part # 2176323-9
SMV 2W 470K 5%

TE Part # 2176324-1
SMV 3W 100K 5%

TE Part # 8-2176620-0
SMQF3W 1M0 5%

Also in the Series | CGS SMV

Surface Mount Resistors(75)

Customers Also Bought

TE Part #1-163082-0
Pin and Socket Contacts, Type III, LP EMEA

TE Part #1-1437719-5
T01-0550-P03-MALE PLUG CONNECTOR SOLDER

TE Part #825437-6
MOD II HDR R.A.

TE Part #3-794627-2
02P MICRO MNL ASSY,R/A,SMT LF

TE Part #223988-1
UNV PWR MDL, GUIDE PIN PLTD

TE Part #130191
TERM, SOLIS R 12-10 5MM

TE Part #3-521057-2
ULTRAFast 250 ASSY TAB 16-14 AWG TPBR

TE Part #2176322-1
SMV 1W 100K 5%

SMV3W1M0JT

1M Ω , Metal Film, High Value/High Voltage Resistor, 5 %, 2 Termination, Taped & Reeled, 3 W, ± 200 ppm/ $^{\circ}\text{C}$, Solder, Height .268 in [6.8 mm], CGS SMV



TE Part #1-2176324-7
SMV 3W 2M2 5%

Documents

Product Drawings

SMV 3W 1M0 5%

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2176324-3_BA.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2176324-3_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2176324-3_BA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Metal glaze High Voltage SMD Resistor Type SMV series

English