


Note: This datasheet may be out of date Please download the latest datasheet of DE21XSA220KJ3BT02F from the official website of Murata Manufacturing Co., Ltd. ducts/productdetail?partno=DE21XSA220KJ3BT02F

# DE21XSA220KJ3BT02F



#### Appearance & Shape





(in mm)



X1/Y2 Class Certified Products, Halogen-free Products



Packaging	Specifications	Minimum Order Quantity
В	Bulk(Bag)	500

1 of 4

Attention 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





# DE21XSA220KJ3BT02F

Note: This datasheet may be out of date. Please download the latest datasheet of DE21XSA220KJ3BT02F from the official website of Murata Manufacturing Co., Ltd. http://www.murata.com/en-US/products/productdetail?partno=DE21XSA220KJ3BT02F

### Specifications

L size or Outer diameter D	6.0mm max.	
T size	4.0mm max.	
Lead spacing F	7.5±0.8mm	
Lead diameter d	0.6±0.05mm	
Paint dripping e	Up to the end of crimp	
Capacitance	22pF ±10%	
Rated voltage	250Vac(r.m.s.)	
Temperature characteristics	SL(JIS)	
Temperature range of temperature characteristics	20°C to 85°C	
Operating Temperature Range	-40°C to 125°C	
тс	+350 to -1000ppm/°C	

2 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Attention





Note: This datasheet may be out of date Please download the latest datasheet of DE21XSA220KJ3BT02F from the official website of Murata Manufacturing Co., Ltd. ctdetail?partno=DE21XSA220KJ3BT02F


### DE21XSA220KJ3BT02F

#### Characteristic Data

The charts below may show another part number which shares its characteristics.







Temperature Characteristics 40 Change Rate[%] 20 0 -20 -40 -60 Cap. -80 -100 20 30 40 50 60 70 80 90 10 Temperature[degC] DE21XSA220KJ3BT02F C-Temp. capchange, DCOV, AC1Vrms

3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering




Attention



Note: This datasheet may be out of date. Please download the latest datasheet of DE21XSA220KJ3BT02F from the official website of Murata Manufacturing Co., Ltd. http://www.murata.com/en-US/ ucts/productdetail?partno=DE21XSA220KJ3BT02F

## DE21XSA220KJ3BT02F



1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

Attention

4 of 4